FND-1058XXX0GW Range

4.8" (121 mm) 5 x 8 Bi-Colour Dot Matrix Display

Features:

- High dot intensity
- Wide viewing angle
- Range of colours
- · Grey face colour
- · White dot colour

Available options:

- Alternative face colour: black
- · Cropped terminal pins
- Alternative emitting colour
- Low current version
- Product can be supplied with die positions reversed

Dot layout

Product not shown actual size



Electro / Optical Characteristics - $I_F = 20 \text{ mA}$ $T_a = 25^{\circ} \text{ C}$


Part Number	Part Number Column Anode	Emitting Colours	Wavelength Peak λ _P	Forward Voltage V _F		Luminous Intensity I _V	
Column Cathode				typical	max	min	typical
FND-10581LG0440GW	FND-10582LG0440GW	GaAlAs Red	660	3.70	4.00	-	105
		HE Green	573	4.10	4.80	-	122
FND-10581320GW	FND-10582320GW	HE Red	640	4.10	5.00	-	24
		Green	568	4.20	5.00	-	47
Units			nm	V		mcd / dot (matrix average)	

Maximum Ratings / Dot $T_a = 25^{\circ} C$ (Derate above 25° C)


Characteristic	Condition	Symbol	Rating	Units
Pulse Forward Current	0.1 duty cycle 0.1 ms pulse width	I _{FP}	100	mA
DC Forward Current		I _F	25	mA
Reverse Voltage	$I_R = 10 \mu A$	V_{R}	5	V
Operating Temperature		T _{opr}	- 25 to + 80	° C
Storage Temperature		T _{stg}	- 30 to + 85	° C
Lead soldering temperature	1.6 mm from body - maximum 3 seconds		260	° C



Package Outline





COL. 1	2	3	4	5	DOW
		\bigcirc	\bigcirc	\bigcirc	ROW 1
	\bigcirc	\bigcirc	\bigcirc	\bigcirc	2
	\bigcirc	\bigcirc	\bigcirc	\bigcirc	3
	\bigcirc	\bigcirc	\bigcirc	\bigcirc	4
	\bigcirc	\bigcirc	\bigcirc	\bigcirc	5
	\bigcirc	\bigcirc	\bigcirc	\bigcirc	6
	\bigcirc	\bigcirc	\bigcirc	\bigcirc	7
	\bigcirc	\bigcirc	\bigcirc	\bigcirc	8



Column Cathode







Tolerance ± 0.25 mm unless stated



No representation, warranty, responsibility or liability is or will be accepted by Forge Europa Limited in relation to the accuracy or completeness of any information it provides. It is the responsibility of the customer to verify the suitability of the product for its application. All design work supplied by Forge Europa Limited is to be assumed confidential and is the sole property of Forge Europa Limited. It must not be used, copied or disclosed to any third party without the prior written consent of Forge Europa Limited. All contracts are subject to Forge Europa Limited's General Terms and Conditions of Trading which can be found at www.forge-europa.co.uk

Issue 03