
FND-157XW200STBW Range

0.7" (18 mm) $5 \times 7 \text{ White Dot Matrix Display}$



Features:

- High intensity white dot matrix LED display
- Black face for maximum contrast
- Diffused dot in off-state
- Ideal for use in applications requiring a high-quality dot matrix display:
 - Audio equipment
 - ☐ Consumer electronics
 - ☐ Lift indication
 - ☐ Digital clocks



Contents:

- Electro / Optical Characteristics Page 2
- Maximum Rated Values Page 2
- Package Outline and Diagrams Page 3

FND-157XW200STBW Range

0.7" (18 mm) 5 x 7 White Dot Matrix Display



Electro / Optical Characteristics $I_F = 20$ mA, Ta = 25°C

Part Number		Emitting Colour	Chromaticity Coordinates		Forward Voltage		Luminous Intensity, Iv	
Column Cathode	Column Anode		Х	У	Тур	Max	Min	Тур
FND-1571W200STBW	FND-1572W200STBW	White	0.30	0.30	3.20	3.70	~	25
Units					V		mcd / dot	

Note

Industry standard procedures regarding static must be observed when handling white LED displays as they are produced using blue die material.

Absolute Maximum Rated Values Ta = 25°C (Derate Above 25°C)

Characteristic	Condition	Symbol	Rating	Units
Pulse Forward Current	0.1 duty cycle @ 1kHz	I _{FP}	100	mA
DC Forward Current		I _F	25	mA
Reverse Voltage	$I_R = 10_u A$	V _R	5	V
Operating Temperature		T _{opr}	-25 to +80	°C
Storage Temperature		T_{stg}	-30 to +85	°C
Lead Soldering Temperature	1.6mm from body - max 3 seconds		260	°C


Page 2


FND-157XW200STBW Range


0.7" (18 mm) 5 x 7 White Dot Matrix Display



Package Outline and Diagrams









Tolerance \pm 0.25 mm unless stated

Column Cathode



Column Anode



Disclaimer

No representation, warranty, responsibility or liability is or will be accepted by Forge Europa Limited in relation to the accuracy or completeness of any information it provides. It is the responsibility of the customer to verify the suitability of the product for its application. All design work supplied by Forge Europa Limited is to be assumed confidential and is the sole property of Forge Europa Limited. It must not be used, copied or disclosed to any third party without the prior written consent of Forge Europa Limited. All contracts are subject to Forge Europa Limited's General Terms and Conditions of Trading which can be found at www.forge-europa.co.uk. E&OE