

Features:


- High dot intensity
- Wide viewing angle
- Grey face colour
- Water clear dot

Available options:

- Alternative face colour
- Long terminal pins

Dot Layout

Product not shown
actual size



Electro / Optical Characteristics - $I_F = 20 \text{ mA}$ $T_a = 25^\circ \text{ C}$

Part Number Column Cathode	Part Number Column Anode	Emitting Colour	Wavelength Peak λ_p	Forward Voltage V_F		Luminous Intensity I_v	
				typical	max	min	typical
FND-1571R07700GC	FND-1572R07700GC	Red	632	2.00	2.40	-	97
FND-1571O03700GC	FND-1572O03700GC	Orange	611	2.00	2.40	-	70
FND-1571Y05300GC	FND-1572Y05300GC	Yellow	591	2.05	2.40	-	39
FND-1571Y04600GC	FND-1572Y04600GC	Yellow	591	2.00	2.40	-	78
FND-1571G04400GC	FND-1572G04400GC	Green	573	2.05	2.40	-	34
FND-1571G0300GC	FND-1572G0300GC	Green	518	3.70	4.20	-	117
FND-1571G0600GC	FND-1572G0600GC	Green	502	3.70	4.20	-	126
FND-1571B0300GC	FND-1572B0300GC	Blue	468	3.70	4.20	-	39
Units			nm	V		mcd / dot (matrix average)	

Maximum Ratings $T_a = 25^\circ \text{ C}$ (Derate above 25° C)

Characteristic	Condition	Symbol	Rating	Units
Pulse Forward Current	0.1 duty cycle @ 1KHz	I_{FP}	100	mA
DC Forward Current		I_F	25	mA
Reverse Voltage	$I_R = 10 \mu\text{A}$	V_R	5	V
Operating Temperature		T_{opr}	- 25 to + 80	$^\circ \text{ C}$
Storage Temperature		T_{stg}	- 30 to + 85	$^\circ \text{ C}$
Lead soldering temperature	1.6 mm from body - max 3 seconds		260	$^\circ \text{ C}$




Note

Industry standard procedures regarding static must be observed when handling product produced with 468 nm blue and 502 / 518.nm green die material.


It is the responsibility of the customer to verify the suitability of the product for the application.




Package Outline



Column Cathode



Column Anode



Tolerance ± 0.25 mm unless stated



Forge Limited The Old Railway, Princes Street, Ulverston, Cumbria, LA12 7NQ United Kingdom.
Tel: +44 (0)1229 580000. Email: info@forge-europa.co.uk Website: www.forge-europa.co.uk

No representation, warranty, responsibility or liability is or will be accepted by Forge Europa Limited in relation to the accuracy or completeness of any information it provides. It is the responsibility of the customer to verify the suitability of the product for its application. All design work supplied by Forge Europa Limited is to be assumed confidential and is the sole property of Forge Europa Limited. It must not be used, copied or disclosed to any third party without the prior written consent of Forge Europa Limited. All contracts are subject to Forge Europa Limited's General Terms and Conditions of Trading which can be found at www.forge-europa.co.uk