


FND-358XX00GW Range

1.5" (38mm) 5 x 8 Dot Matrix Display



Features:

- High intensity dot matrix display
- Grey face
- White diffused segment in off-state
- Ideal for use in applications requiring the display of high definition characters:
 - ❑ Moving message displays
 - ❑ Variable message displays
 - ❑ Digital clocks



Contents:

- Electro / Optical Characteristics - Page 2
- Maximum Rated Values - Page 2
- Package Outline and Diagrams - Page 3

FND-358XX00GW Range

1.5" (38mm) 5 x 8 Dot Matrix Display



Electro / Optical Characteristics $I_F = 20\text{mA}$, $T_a = 25^\circ\text{C}$

Part Number		Emitting Colour	Wavelength		Forward Voltage		Luminous Intensity, I_v	
Column Cathode	Column Anode		Peak	Dom	Typ	Max	Min	Typ
FND-3581R3400GW	FND-3582R3400GW	Red	~	640	1.90	2.30	~	65
FND-3581Y05300GW	FND-3582Y05300GW	Yellow	591	~	2.05	2.40	~	48
FND-3581G200GW	FND-3582G200GW	Green	568	~	2.10	2.50	~	15
FND-3581B3500GW	FND-3582B3500GW	Blue	~	460	3.30	3.70	~	35
Units			nm		V		mcd / dot	

Maximum Rated Values $T_a = 25^\circ\text{C}$ (Derate Above 25°C)

Characteristic	Condition	Symbol	Rating	Units
Pulse Forward Current	0.1 duty cycle @ 1kHz	I_{FP}	100	mA
DC Forward Current		I_F	25	mA
Reverse Voltage	$I_R = 10\mu\text{A}$	V_R	5	V
Operating Temperature		T_{opr}	-25 to +80	$^\circ\text{C}$
Storage Temperature		T_{stg}	-30 to +85	$^\circ\text{C}$
Lead Soldering Temperature	1.6mm from body - max 3 seconds		260	$^\circ\text{C}$

Note





Industry standard procedures regarding static must be observed when handling product produced with blue die material.

FND-358XX00GW Range

1.5" (38mm) 5 x 8 Dot Matrix Display




Package Outline and Diagrams




Tolerance ± 0.25 mm unless stated

Column Cathode



Column Anode



Disclaimer

No representation, warranty, responsibility or liability is or will be accepted by Forge Europa Limited in relation to the accuracy or completeness of any information it provides. It is the responsibility of the customer to verify the suitability of the product for its application. All design work supplied by Forge Europa Limited is to be assumed confidential and is the sole property of Forge Europa Limited. It must not be used, copied or disclosed to any third party without the prior written consent of Forge Europa Limited. All contracts are subject to Forge Europa Limited's General Terms and Conditions of Trading which can be found at www.forge-europa.co.uk. E&OE